

 **STILL**<sup>®</sup>  
LONG LIFE LED LIGHT







# **STILL** **LED Lighting**

**Leading the market today,  
transforming the future.**

**Still has been designing, developing, and  
manufacturing LED lighting products resulting in  
a far reaching portfolio.**

# Delivering best Performance and Quality



We apply best known methods for handling issues associated with thermal management, optics, energy management and ease of installation to deliver industry leading results.

## Lifetime & reliability



We perform extensive validation and environmental testing to ensure product quality.

## Rigorous Testing



We offer various specifications as per your needs and fulfill them with flying colours.

## Meeting Specifications



Our LED lighting products generate the truest colour and the best light intensity.

## Colour Consistency & Light Quality





**Every Solution for Every Industry and Household.**


**We offer 350+ Lighting products!**



### SLIM PANEL LIGHT | SL-01



WATTS	8W (cut size 4") 15W (cut size 6") 22W (cut size 8")
TYPE	Ceiling light
HOUSING	Aluminum die casting
DRIVER	Non-Isolated (Indian)
SHAPE	Square   Round
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### PANEL LIGHT (PE - Series) | SL-02

WATTS	12W (cut size 4") 18W (cut size 6")
TYPE	Ceiling light (Back Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
SHAPE	Square   Round
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### PANEL LIGHT (SE - Series) | SL-03

WATTS	9W (Cut size 4") 12W (Cut size 5") 16W (Cut Size 6")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
SHAPE	Square   Round
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### PANEL LIGHT (Alpina) \ SL-04




WATTS	9W (Cut size 4") 12W (Cut size 5") 16W (Cut Size 6") 22W (Cut Size 8")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
SHAPE	Square   Round
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K

### PANEL LIGHT (Adjustable) \ SL-05



WATTS	9W   12W   15W   18W
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
SHAPE	Square   Round
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K


### MOON LIGHT (Adjustable) \ SL-06



WATTS	15W
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



## MOON LIGHT \ SL-07



WATTS	9W (Cut Size 3")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K

## SURFACE LIGHT \ SL-08




WATTS	8W (Cut size 4") 15W (Cut size 6") 20W (Cut Size 8")
TYPE	Ceiling light (Back-Lit)
HOUSING	Aluminium Die Casting
DRIVER	Non-Isolated (Indian)
SHAPE	Square   Round
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K

## SURFACE LIGHT (NE-Series) \ SL-09



WATTS	9W   15W
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K





### DEEP DOWN LIGHT \ SL-10

WATTS	12W   18W   22W
TYPE	Ceiling light (Back-Lit)
HOUSING	Aluminium Die Casting
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
SHAPE	Square   Round
CCT	3000K, 4000K, 6500K



### SMALL DEEP DOWN LIGHT \ SL-11

WATTS	12W   18W   22W
TYPE	Ceiling light (Back-Lit)
HOUSING	Aluminium Die Casting
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
SHAPE	Round
CCT	3000K, 4000K, 6500K



### CONCEALED LIGHT (DwD) \ SL-12

WATTS	7W (Cut Size 3")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K





### CONCEALED LIGHT \ **SL-13**

WATTS	7W (Cut Size 3")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### TWIST & FIT CONCEALED LIGHT \ **SL-14**

WATTS	6W (Cut Size 3") 7W (Cut Size 4")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### CONCEALED COB LIGHT \ **SL-15**

WATTS	7W   9W   12W (Cut Size 3"   4"   5")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC with Heat Sink
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K





### CONCEALED COB LIGHT \ **SL-16**

WATTS	9W   12W (Cut Size 3"   4")
TYPE	Ceiling light (Back-Lit)
HOUSING	PC with Heat Sink
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### CONCEALED COB LIGHT \ **SL-17**

WATTS	6W (Cut Size 3")
TYPE	Ceiling light
HOUSING	PC with Heat Sink
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### DELTA COB LIGHT \ **SL-18**

WATTS	7W   9W   12W   15W   18W   20W
TYPE	Ceiling light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K





### DEEP COB LIGHT \ SL-19

WATTS	9W   12W   15W
TYPE	Ceiling light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
SHAPE	Round
CCT	3000K, 4000K, 6500K



### DEEP COB LIGHT \ SL-20

WATTS	18W - 9+9W 30W - 15+15W
TYPE	Ceiling light
HOUSING	Aluminium
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
SHAPE	Square
CCT	3000K, 4000K, 6500K



### SURFACE CYLINDER LIGHT \ SL-21

WATTS	9W   15W   20W
TYPE	Ceiling light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



**PANEL LIGHT \ SL-22**



WATTS	24-70W
TYPE	Ceiling light (Back-Lit)
HOUSING	Steel Fabricated
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
SIZE	2x2, 1x1, 1x2, 1x4
CCT	3000K, 4000K, 6500K

**TUBE LIGHT (Batton) \ SL-23**



WATTS	20W   22W   36W   40W
TYPE	Wall light
HOUSING	Aluminium   PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K

**STREET LIGHT \ SL-24**





WATTS	20W   24W   26W   50W 100W   150W
TYPE	Street light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K




### FLOOD LIGHT (Module) \ SL-25

WATTS	50-1200W
TYPE	High Intensity Light (1 Module - 50W)
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### FLOOD LIGHT (VK) \ SL-26

WATTS	50W   100W   150W   200W
TYPE	High Intensity Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### FLOOD LIGHT (Down) \ SL-27

WATTS	50W   100W   150W   200W
TYPE	High Intensity Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K, Red, Green, Blue, Pink





### FLOOD LIGHT (BackChoke) \ SL-28

WATTS	50W   100W   150W   200W   240W
TYPE	High Intensity Light (Glass   Glass with Lens)
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K, Red, Green, Blue, Pink




### FLOOD LIGHT (Lense) \ SL-29

WATTS	50W   100W   150W   200W
TYPE	High Intensity Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### FLOOD LIGHT (UFO) \ SL-30

WATTS	50W   100W   150W   200W   250W
TYPE	High Intensity Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### INDUSTRIAL LIGHT \ SL-31

WATTS	100-180W
TYPE	Ceiling Light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
FOCUS	Long Focus 100-200m
CCT	3000K, 4000K, 6500K



### INDUSTRIAL BULB \ SL-32

WATTS	24W   60W
TYPE	Ceiling Light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### TRACK LIGHT \ SL-33

WATTS	10-30W
TYPE	Ceiling Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K





### BULKHEAD LIGHT \ SL-34

WATTS	12-15W
TYPE	Outdoor Wall Light
HOUSING	PC
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### WALL LIGHT (Up-down) \ SL-35

WATTS	5+5W   8+8W
TYPE	Wall Light
HOUSING	Aluminium Die casting
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K




### WALL LIGHT (Lens) \ SL-36

WATTS	2W   4W   6W   8W   10W   12W
TYPE	Wall Light
HOUSING	Aluminium Die casting
DRIVER	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K



### ROPE LIGHT \ SL-37

VOLTAGE	220-230V AC
TYPE	Multipurpose
HOUSING	PC
DRIVER	N/A
POWER FACTOR	≥ 0.95
COLOURS	All



### GARDEN LIGHT \ SL-38

WATTS	20-100W
TYPE	Outdoor Lights
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
USE	Gardens   Fancy   Street



### DRIVER \ SL-39

WATTS	6-22W (Non-isolated) 18-100W (Isolated)
CURRENT	upto 300mA (Non-Isolated) 0-2000mA (Isolated)
VOLTAGE	upto 81V DC (Non-Isolated) 42-72V DC (Isolated)
POWER SUPPLY	Non-Isolated (Indian)
POWER FACTOR	≥ 0.95





### HIGH-MAST POLE LIGHT \ **SL-40**

WATTS	500-5000W
TYPE	Pole Light
HOUSING	Steel Fabricated
HEIGHT	12-60m
SHAPE	Octagonal   Tubular



### BLDC FAN \ **SL-41**

WATTS	28-30W
TYPE	Fan
HOUSING	Aluminium Die Casting
COLOURS	White   Brown
FEATURES	With Remote Control




### PROFILE LIGHT \ **SL-42**

WATTS	24-50W
TYPE	Ceiling   Wall Light
HOUSING	Aluminium
DRIVER	Isolated (Indian   Philips)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K
STRIP SIZE	5m (All colours)



### STREET POLE LIGHT \ SL-43

WATTS	40-200W
TYPE	Pole Light
HOUSING	Steel Fabricated
HEIGHT	6-12m
SHAPE	Octagonal   Tubular



### HANGING PROFILE LIGHT \ SL-44

WATTS	24-60W
TYPE	Ceiling Light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K
SIZE	2 ft, 4 ft, 6 ft, 8 ft




### SOLAR STREET LIGHT \ SL-45

WATTS	12-60W
TYPE	Semi Solar   All in one
BATTERY	Lithium ion   LFP
BACKUP	12-36 hrs
FUNCTION	Dimming & Sensor



### MAGNETIC TRACK LIGHT \ SL-46



WATTS	10-30W
TYPE	Ceiling Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated
POWER FACTOR	≥ 0.95
CCT	3000K, 4000K, 6500K

### SEARCH LIGHT (Tower) \ SL-47



WATTS	150W   200W   250W
TYPE	High Intensity Light
HOUSING	Aluminium Die Casting
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
FOCUS	upto 700m
CCT	6500K



### PAR LIGHT \ SL-48


WATTS	54x3W   60x3W
TYPE	DJ/Stage Light
HOUSING	Aluminium
DRIVER	Isolated (Indian)
POWER FACTOR	≥ 0.95
COLOURS	All





**AllKitchenThings**  
— SS AND QUARTZ SINK —





# AllKitchenThings

— KITCHEN SINK —

A Group company of Still Electronics



Scan to  
download E- Catalogue

# Transform your space with STILL LED Lights!







# <sup>®</sup>

**LONG LIFE LED LIGHT**



## **Office Detail :**

86, Badli Industrial Area, Phase – 2, New Delhi – 110042

Ph. 9810218846

Email: [still@mail.com](mailto:still@mail.com) | Website: [www.stillled.in](http://www.stillled.in)

## **Sales Detail :**

Sales & Marketing : 9710218846, 9810218840

Sales Executive : 9667092624

Email: [stillled@mail.com](mailto:stillled@mail.com)